PRINCIPAL DIMENSIONS		Cocktail cabinet with refrigerator
Length overall (incl. pulpit)	73ft 4in (22.35m)	Icemaker
Length overall (excl. pulpit)	72ft 5in (22.07m)	Wetbar with top loading coolbox, sink, hot and cold water supply,
Beam	18ft (5.49m)	electric barbecue and storage
Draft	5ft 6in (1.68m)	Dishwasher
Displacement approx. (Twin MTU M93)	45,000kg* (99,207lbs)	Combination washer/dryer
Fuel capacity	1100 gal/1321 US gal/5000L	Electric quietflush toilets with holding tank
Water capacity (incl. calorifier)	295 gal/355 US gal/1342L	Saloon LED TV/DVD with surround-sound system
		Flybridge stereo radio/iPod, MP3 dock
STANDARD EQUIPMENT		Teak-laid transom platform/cockpit deck/flybridge stairway/
Full air-conditioning		step to side decks and flybridge
Power-assisted hydraulic steering system		Flybridge sunbed and cushions
Bow thruster (170 kgf/375lbf)		Helmsman's door to side deck
24v DC/240v AC electrical system		Electric drop window on port side of dining area
240v shore power with 2 x 80-amp float battery charger		Stainless-steel framed saloon doors
220v/240v diesel generator (22.5kW)		Flybridge crane
Dual station remote control electric anchor winch		Transom platform with electro-hydraulic raise/lower mechanism
Deck/anchor wash		Remote control telescopic passerelle
Electric stern rope mooring winches		Twin transom doors
Dual station electric trim tabs with indicators		Hot and cold transom shower
Dual station autopilot		Fully fitted crew cabin
Dual station VHF with DSC R/T with intercom		Cockpit night cover
Colour radar with scanner and GPS/chart	plotter	
(twin displays at lower helm)		ENGINES - DIESEL
Dual station speed and distance log		Twin MTU 10V 2000 M93 (2 x 1523mhp)
Dual station echo sounder with alarm		Speed range: 32–34 knots †
Dual station remote control searchlight		Twin Caterpillar C32 A (2 x 1622mhp) Speed range: 33–36 knots †
Combination microwave/conventional oven/grill		
Full height refrigerator with door and free	zer drawers	

DECK FITTINGS

- Teak-laid transom platform,cockpit deck, flybridge stairway, step to side decks
- Reversible electric anchor winch with foredeck, main helm and flybridge controls
- Stemhead roller with automatic anchor launch and retrieve
- Self-stowing 50kg anchor with 90m of chain
- Twin stern rope mooring winches port and starboard
- Bow rope stowage locker
- Freshwater deck/anchor wash
- Forward coachroof handrails
- Coachroof seating and sunbed areas
- Deck storage lockers for fenders and foredeck sunbed cushions
- Optional foredeck table
- Bow fairlead
- Stainless-steel bow, stern and spring cleats (2 pairs)
- Stainless-steel pulpit and guard rails
- Canopy handrails
- White PVC high-impact rubbing band with stainless-steel insert
- Full set IMCO navigation lights
- Ridina liaht
- Dual-station remote control searchlight
- Twin electric horns
- Fuel and water fillers
- Hot and cold transom shower
- Flybridge crane (safe working load 420kg)
- Life raft locker
- Stern docking lights

AFT COCKPIT

- Self-draining
- Upholstered seating and folding leaf teak table
- Overhead and low level courtesy lighting
- Cockpit cover
- Stainless-steel handrails
- Remote control telescopic passerelle (3.5m)
- Deck hatch to lazarette
- Deck hatch to engine room
- Transom platform with electro-hydraulic raise/lower mechanism (400 Kg), foldaway swimming ladder, hot and cold shower
- Transom locker housing 240v shore support inlet and shoreline
- Stowage locker below flybridge stairway
- Life raft stowage (2 x 8 man)
- Twin transom doors to bathing platform
- Door to crew area

FLYBRIDGE

- Dual station instrument controls (see Lower Helm Position)
- Helm position featuring hydraulically raised instrument console with repeat engine instrumentation
- Power assisted steering with adjustable wheel
- Adjustable helm seat
- Bilge pump visual and audible warning indicators
- Engine room and lazarette fire extinguisher warning system
- Chart area
- Additional seating around sofa/dinette
- Stereo radio/i-Pod MP3 dock
- Aft access from cockpit via perspex hatch
- Wind deflector screens
- Stainless-steel handrails
- Low level lighting
- GRP radar arch
- Console and seat covers
- Matched whip aerials for VHF R/T and radio
- Bar with sink, barbeque, top loading coolbox, waste bin and storage
- Electric crane (safe working load 420kg)

LOWER HELM POSITION

- Instrument console with engine instruments and fuel gauges
- Dual station instruments and controls at Flybridge and Lower Helm Position:
 - rudder position indicator
 - electronic engine controls
 - power-assisted hydraulic steering with adjustable steering wheel
 - bow thruster control
 - remote control electric
 - anchor winch
 - trim tab controls with indicators
 - autopilot
 - VHF with DSC R/T with intercom colour radar (with scanner)
 & GPS/chartplotter (twin displays at lower helm)
 - all electronic navigation equipment interfaced with radar and autopilot
 - ${}^{\backprime}$ speed and distance log
 - echo sounder with alarm
 - remote control searchlight
 - high-speed magnetic compass
- ▶ horn button
- Intercom to flybridge
- Automatic foghorn with loudhailer
- Twin leather upholstered helm seats with electric adjustment
- Chart table with chart storage
- Triple windscreen wipers with windscreen wash
- Bilge pump controls with visual 'pump running' indicators
- 24v and 240v control panels

LOWER HELM POSITION [CONTINUED]

- PVC sunscreens
- Clear toughened glass windscreen for unimpaired night vision
- Door to starboard side deck

DECK SALOON

- Large U-shaped sofa to starboard with 3 seater sofa to port
- Entertainment centre incorporating LED TV linked to surround-sound system
- Storage cupboard unit
- Cocktail cabinet with stainless-steel refrigerator and bottle/glass storage
- Curtains or blinds to all windows
- Overhead downlighters and pelmet lights
- Stainless-steel framed aft saloon doors (triple sliding)
- Dining area (for 8 people)

GALLEY

- Granite/marble worktop
- Ceramic 4-zone hob
- Extractor fan
- Combination microwave/conventional oven with grill
- Twin-bowl stainless-steel sink with mixer tap
- Refrigerator (full height with deep freeze)
- Dishwasher
- Overhead and concealed lighting
- Drawers and storage cupboards
- Timber laid floor

ACCOMMODATION

- All cabins feature opening and/or fixed portholes, 240v power points and air conditioning
- All bathrooms feature opening portholes, fresh water Vacuflush toilets with holding tanks and 240v shaver
 ...

OWNERS STATEROOM

- Large double bed with drawers below
- Bedside cabinets
- Full length mirror
- Walk through dressing area with large wardrobes and storage, dressing table with stool
- Built in safe
- LED TV/DVD/radio
- Sofa
- Overhead and individual berth lights
- Drawers and lockers

En-suite bathroom:

- Twin washbasins with Avonite (or similar) worktop and mixer tap
- Separate shower cubicle with automatic pump out
- Extractor fan
- Mirrors
- Storage lockers

FORWARD GUEST CABIN

- Large double bed with drawers below
- Large wardrobes with shelves
- Mirror
- Dressing table with storage
- Stereo CD/radio
- Storage lockers
- Overhead and individual berth lights
- Deck hatch with integrated skylight and blind

En-suite bathroom:

- Washbasin with Avonite (or similar) worktop and mixer tap
- Separate shower cubicle with automatic pump-out
- Extractor fan
- Mirror
- Storage lockers

PORT GUEST CABIN

- Two single beds with drawers below
- Wardrobe with shelves
- Mirror
- Bedside table with storage
- High level lockers
- Overhead lighting and individual berth lights

STARBOARD GUEST CABIN

- Large double bed with drawers below
- Wardrobe with shelves
- Mirror
- Bedside tables with storage
- Dressing table with chair
- High level lockers
- Overhead lighting and individual berth lights

En-suite bathroom:

- Washbasin with Avonite (or similar) worktop and mixer tap
- Separate shower with automatic pumpout
- Extractor fan
- Mirror
- Storage locker
- Starboard shower/wc has access door from passageway as well as from cabin

CREW CABIN

- Two single berths
- Hanging and storage lockers
- Overhead lighting and individual berth lights
- Access via transom hatch

Crew bathroom:

- Washbasin with mixer tap
- Separate shower with automatic pumpout
- Extractor fan
- Mirror
- Storage locker

INTERIOR FINISH

- Furniture finished in a choice of Serotina Cherry or Light Oak with either a satin or high gloss finish. Walnut is available as an option
- Galley worktop in a choice of granite/ marble finish
- Bathroom worktops with avonite finish
- Choice of upholstery fabrics, carpets and curtains from co-ordinated range
- Timber laid galley, helm and bathroom floors

POWER AND DRIVE SYSTEMS

- Engine room soundproofed
- High-volume air intakes
- Engine room extractor fan with electronic time delay
- Engine exhaust silencers and watercooled exhausts
- Engine beds integrally moulded with hull for strength and vibration absorption
- Forward and aft engine-room bulkheads integrally bonded
- Engines flexibly mounted
- Automatic fire extinguisher with remote override control
- Automatic and manual bilge pumps
- Engine-room lighting
- Propeller shafts in Marinemet
- 5-bladed propellers in nickel aluminium bronze
- High-speed balanced rudders
- Cathodic protection for sterngear
- Sterngear, engines, fuel tank fillers, etc all electrically bonded
- Power assisted electro-hydraulic steering system
- Single-lever electronic engine controls
- Bow thruster (170Kgf)
- Freshwater supply point in engine room

ELECTRICAL SYSTEM

24 Volt

- 4 x heavy-duty batteries for engine starting and windlass operation
- 6 x heavy-duty auxiliary batteries
- Engine alternators charge both banks of batteries via automatic switch charging system
- 2 x 80 amp float battery chargers charge both banks of batteries via automatic switch charging system
- Battery paralleling system with remote control at helm position
- Remote battery master switches with control switch at main switch panel
- Circuit breakers on all circuits
- 24–12v dropper for certain navigation and radio circuits

220/240 Volt:

 22.5kW diesel generator in own soundproof shield with water-cooled and specially silenced exhaust

ELECTRICAL SYSTEM [CONTINUED] 220/240 Volt:

- 2 x 63-amp shore support inlets
- Generator/shore support change-over switches
- Polarity check system
- Earth leakage safety trip, circuit breakers on all circuits
- Power points in saloon, galley, master stateroom, forward, port, starboard and crew cabins
- Shaver points in all bathrooms

FUEL SYSTEM

- Twin fuel tanks (in NS8 marine grade alloy) with interconnection system giving 1100 gallon/5000 litre capacity
- Fuel fillers on both side decks
- High-capacity duplex fuel filters/water traps with changeover cocks and visual contamination warning at console
- Remote fuel shut offs in helm locker
- Dual station fuel gauges on helm console

WATER SYSTEM

- Water tanks totalling 295 gallons/1,342 litres including hot water calorifier
- Water heated 240v immersion heater
- Automatic water pump with filter
- Main circuit breaker at switch panel
- Water level gauge
- Deck filler
- Electric quietflush WC system with 100 gallon/457 litres holding tank, contents gauge and electric overboard discharge with macerator back-up system as well as dockside discharge system

FIRE EXTINGUISHERS

- Automatic/manual override fire extinguishers in engine room with warning system at both helm positions and incorporating engine air vent closure system
- Hand-operated fire extinguishers (8) in master stateroom, forward, port, starboard and crew cabins, galley, utility room and lower helm position
- Separate automatic fire extinguisher fitted in electrical space

BILGE PUMPS

- Automatic electric bilge pumps (with manual override) in engine room, forward accommodation and aft (7 in all)
- Electric bilge pumps have controls and warning lights at lower helm and warning light with audible alarm at flybridge helm
- Manually operated high capacity bilge pump with valve system and additional suction points in lazarette, engine room and other accommodation areas

OTHER ITEMS SUPPLIED AS STANDARD

- Set of cutlery, crockery and crystal glasses (8)
- Set of towels (8 large, 8 hand)
- Fenders (8) and warps (4)
- Ensign staff
- First aid kit
- Boathook
- Owner's manual
- Engine manual
- Tool kit
- Quilted bedspreads for beds in owner's stateroom, forward guest cabin, port and starboard cabins (except crew cabin)
- Cockpit cover
- Emergency porthole cover
- Ship's document case